



All Seals' UL Compounds

FLUORINATED COMPOUNDS

FLT-7001: 75 DUROMETER FLUOROCARBON

DuPont Viton® GFLT recognized for use in gasoline, gasoline/alcohol blends, kerosene, MPS gas, natural gas, LP gas, diesel fuel, ozone, biodiesel and diesel/biodiesel blends, diesel exhaust fluid, and ETBE/gasoline and MTBE/gasoline blends. Also UL 50/50E electrical enclosures. Excellent low temperature properties.

FS-7002: 75 DUROMETER FLUROSILICONE

Recognized for use in gasoline, gasoline/alcohol blends, kerosene, diesel fuel, biodiesel and diesel/biodiesel blends, and diesel exhaust fluid. Also UL 50/50E electrical enclosures. Very low compression set and excellent resistance to temperature extremes.

F-7020: 75 DUROMETER FLUOROCARBON

Recognized for use in gasoline, gasoline/alcohol blends, kerosene, MPS gas, natural gas, LP gas, diesel fuel, ozone, biodiesel and diesel/biodiesel blends,

diesel exhaust fluid, and ETBE/gasoline and MTBE/gasoline blends. Also UL 50/50E electrical enclosures. Especially suitable for rubber-to-metal bonding. F-7020 is formulated from genuine DuPont Viton®.

F-7027: 75 DUROMETER FLUOROCARBON

Recognized for use in gasoline, gasoline/alcohol blends, kerosene, natural gas, LP gas, diesel fuel. Also UL 50/50E electrical enclosures. Very low compression set. F-7027 is formulated from genuine DuPont Viton®.

F-7036: 75 DUROMETER FLUOROCARBON

Recognized for use in gasoline, gasoline/alcohol blends, kerosene, natural gas, LP gas, ozone, diesel fuel, biodiesel and diesel/biodiesel blends, diesel exhaust fluid, ETBE/gasoline and MTBE/Gasoline blends. Also UL 50/50E electrical enclosures. Very low compression set. F-7036 is formulated from genuine DuPont Viton®.



NITRILE COMPOUNDS

N-7026: 70 DUROMETER NITRILE

Recognized for use in manufactured or natural gas, diesel fuel, and liquefied petroleum gas (LP gas). Also suitable for use in UL 262 appliances (gate valves for fire protection service).

N-7079: 70 DUROMETER NITRILE

Recognized for use in dry chemical and water fire extinguishing agents, gasoline, gasoline/alcohol blends, kerosene, manufactured or natural gas, diesel fuel, and liquefied petroleum gas (LP gas). Also UL 50/50E electrical enclosures.


N-8002: 80 DUROMETER NITRILE

Recognized for use in manufactured or natural gas, diesel fuel, and liquefied petroleum gas (LP gas). Very good compression set and tensile strength.

N-9006: 90 DUROMETER NITRILE

Recognized for use in manufactured or natural gas, diesel fuel, and liquefied petroleum gas (LP gas). Excellent compression set and very good high and low temperature properties.

All Seals is pleased to offer these UL rubber compounds, all of which have been tested and recognized under Underwriters Laboratories' Category JMLU2, "Gasket and Seal Materials - Components". General information regarding the end use applications and physical properties of each compound is displayed to the right. For more specific information, or to learn more about UL, an independent, not-for-profit product safety testing and certification organization, please visit www.allsealsinc.com/spec-ref-tables.html.



Why Industry Leaders Rely on All Seals

THE HIGHEST STANDARDS

There's no room for compromise when it comes to fuel sealing requirements. All Seals meets and exceeds industry standards. Even when standards are voluntary, we hold ourselves to the highest demands.

NUMEROUS UL CERTIFIED COMPOUNDS

All Seals is an industry frontrunner when it comes to understanding UL certified compounds. With materials to seal applications involving electrical equipment, gasoline, LP gas, diesel, biodiesel, kerosene and ethanol we have you covered.

WE'VE GOT WHAT YOU NEED

We source and stock the widest selection of seals from the finest manufacturers around the world. Our vendors are renowned for their engineering and quality programs, and we have excellent, long-term relationships with them. Even in periods of short supply, we can deliver. We can customize any seal precisely to your specifications.

EXTENSIVE VALUE ADDED SERVICES

We provide JIT/Kanban programs, pre-production and kitting, special marking and packaging options, and much more.

FRIENDLY CUSTOMER SERVICE AND EXPERT ON-PREMISE SUPPORT

You're in the best circles with our customer service team. If you need expertise in any area, we've got it, including materials, design, prototyping, testing and more.



CALIFORNIA

20762 Linear Lane
Lake Forest, CA 92630
800.553.5054 TOLL FREE
714.556.4931 PHONE
714.557.3257 FAX

TEXAS

4407 Halik Road, Building A
Pearland, TX 77581
800.553.5054 TOLL FREE
281.404.4384 PHONE
281.715.5379 FAX

CONTACT

sales@allsealsinc.com

www.allsealsinc.com

© 2015, All Seals, Inc.

LIMITED WARRANTY All Seals, Inc. ("Seller") warrants that its products ("Goods") will perform in accordance with their specifications; that the goods will be free from manufacturing defects for a period of twelve (12) months from the date of delivery of the goods to Buyer; and that the goods will be as specified by Buyer in the purchase order. Seller should have the right to elect to either refund the purchase price for any defective goods or replace any defective goods, provided that the goods were used in the manner for which they were manufactured. Seller does not warrant that the goods are fit for any particular purpose. Seller should have no obligation to refund the purchase price or replace goods that are rendered defective by a Buyer or a third party after they leave Seller's place of shipment.

LIMITED LIABILITY Seller's liability for its goods is limited to their terms set forth in Seller's express warranty set forth above, in no event shall Seller's liability exceed the total purchase order price. Seller is not assuming any liability for any indirect, collateral, special, incidental or consequential losses or damages suffered by Buyer, or by any end-user or other third party, including but not limited to, lost profits, loss of business reputation and/or lost business opportunity, for any possible cause of action or claim arising out of or related to the goods sold to Buyer, even if Seller has been advised of the possibility of such loss or damage.